

connection terminal plate, 3-pole (01199)



The picture may show a similar product.

Description

Part No.: **01199**000

CRITO[®] 60Classic

connection terminal plate, 3-pole

95 - 185 mm²

for busbars 20, 25, 30 x 5, 10 and section busbars

System

60Classic

Advantages of the product

Terminals with captive clamping screws

Conductor can be overlapped

Indication of nominal cross-section and tightening torque noted on the terminals.

Product group 07

Subgroup 48

pack size 1

EAN 4021267011994

ECLASS 6.1 27141146
ECLASS 7.1 27141146
ETIM 4.0 EC000001
ETIM 5.0 EC000001

Approvals

Standards

IEC 61439-1:2020
IEC 60999-1:1999
IEC 60999-2:2003

Approvals

DNV GL



CCC approval: no certification required

Technical data

Details IEC

Standards

IEC 61439-1:2020
IEC 60999-1:1999
IEC 60999-2:2003

Electrical data IEC

rated current (IEC): 350 A
rated voltage (IEC) AC: 690 V

rated peak withstand current I_{pk} max.: 55.8 kA

Supplementary data IEC

The following values have been verified with tests under certain conditions. Please ask Wöhner for this conditions before designing your panel.

max. permitted voltage (IEC) AC: 1000 V
max. permitted voltage (IEC) DC: 1500 V
current capacity (IEC) max.: 460 A

Mechanical data

W x H x D: 135 x 200 x 118
weight: 132.2 kg/100
poles: 3-pole
for busbars: 20, 25, 30 x 5, 10 and section busbars

Terminal points

min. cross-section: 95 mm²
max. cross-section: 185 mm²

Suitable for aluminium cables.

When using aluminium cables, observe the maintenance instructions.

für Anwendungen nach IEC / EN :

Cu und Al 95 - 185 mm² Rundleiter mehrdrähtig und Sektorleiter mehrdrähtig

Cu auch feindrähtig, direkt geklemmt

for applications acc. to IEC / EN:

Cu or Al 95 - 185mm², round stranded or sector-shaped stranded cables

also fine stranded Cu cables (direct clamping)

Application notes

Suitable for aluminium cables.

When using aluminium cables, observe the maintenance instructions.

The insulation performance of the article depends on the installation conditions.

<https://pim.woehner.de/EN/BR/1000046317>